

Catalog 2012



General Information

GBox is a division of Global Manufacturing and is exclusively represented by Warshaw Inc. For questions or arrangements, please contact Warshaw Inc. (www.warshawinc.com) at 6315 traffic Ave, Ridge-wood, NY 11385. Phone: 718 257 2111, Fax 718 257 2626.

Terms & Conditions

An extra 10% will be charged on less than standard unit packages.
All materials will be billed at prices in effect at time of sale.

Freight

Full freight is allowed on shipments over \$1000.
DHL, Express, Parcel Post, FedEx, USPS and UPS shipments FOB shipping point.

Inspection

All items are carefully inspected by us, as it is impossible to detect all imperfections our guarantee is to replace such goods as proved defective.
Under no circumstance will we be responsible for any damages beyond the price of goods.

Return Goods

No material will be taken back, credited or replaced unless arrangements for such returns has been previously made. Claims for shortages or deductions for erroneous charges must be promptly presented or they will not be allowed.

Terms of payment

2% Cash discount 10th proximo, net 30 days.

All prices subject to change without notice.

On large quantities please fax us your requirements and we will return our lowest net prices and availability.

We value your continued patronage, we will try to meet and beat your expectations on your products and pricing. We will do everything we can to work with you so long as the attempts are made in good faith and amicable efforts to resolve any dispute

4" Ceiling Fan & Light Fixture Support Products

Features:


Plastic Non-Metallic Sheathed Cable Connector
NM Clamp installed in 1-1/2" & 2-1/8" Boxes, Replaceable MC Clamp is supplied in Hardware Pack with Variety of Fasteners for all installations types. Easy to follow Instructions Sheet Complies with NEC 314.27(a) (b)(d) for up to 70 lbs. of ceiling fan load or 70 lbs. of fixture load.

Bar Hangers:


NBH New Construction Bar Hanger slides apart to fit joist spacing from 16" to 24"

OBH Old Work Bar Hanger for joist spacing from 16" to 24", No tools necessary for expansion of the bar


Cat. No.	Depth	Clamp Type	Bracket, Setback or Expansion	Knockouts	Cu. In.	Std. Pkg.
G296	1-1/2"	BX/MC, NM	-	3-1/2", 2-Loom	15.5	50
G925	1-1/2"	BX/MC, NM	NBH, 16" to 24"	3-1/2", 2-Loom	15.5	25
G935	1-1/2"	BX/MC, NM	OBH, 16" to 24"	3-1/2", 2-Loom	15.5	25
G295	1/2"	-	-	3-1/2", 2-Loom	15.5	50



G296



G925



G295




G935


3-1/2" & 4" Round Pancake Boxes

Not for use as Ceiling Fan Support Boxes.

Cat. No.	Depth	Clamp Type	Knockouts	Box Diameter	Cu. In.	Std. Pkg.
G290	1/2"	-	3-1/2", 4-Priouts	3-1/2"	3.9	50
G292	1/2"	NM	1-1/2"	3-1/2"	3.9	50
G287	3/4"	NM	1-1/2"	3-1/2"	5.0	50
G293	1/2"	-	5-1/2"	4"	5.8	50
G293-NM	1/2"	NM	3-1/2"	4"	5.8	50



G290




G292



G287



G293




G293-NM


3-1/2" Octagon (30) Boxes & Extension Ring Drawn 1-1/2" Deep

9.0 Cu. In.

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G110	-	4-1/2"	1-1/2"	50
G111	-	4-1/2"	-	50



G110



G111

4" Octagon (40) Boxes & Extension Rings Welded 1-1/2" Deep

15.5 Cu. In.

Bar Hangers:

BHA Adjustable Bar Hanger-Box can be located anywhere along the length of this bar
4" Octagon Boxes with BHA include a 3/8" - 18 NPS trade sized stud to accommodate fixture stem


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G125	-	4-1/2"	5-1/2"	50
G127	-	2-1/2", 2-MKO	3-1/2", 23/4"	50
G161	FB, 1/2"	3-1/2"	5-1/2"	25
G158	LB, 1/2"	4-1/2"	5-1/2"	25
G324	BHA, 14-1/2" to 22-1/2"	4-1/2"	4-1/2"	25
G128	-	4-1/2"	-	50
G130	-	2-1/2", 2-MKO	-	50




G125



G127




G161




G158



G324



G128




G935

4" Octagon (40) Boxes & Extension Rings Drawn 1-1/2" Deep

15.5 Cu. In.

Cat. No.	Features	Knockouts		Std. Pkg.
		Sides	Bottom	
G125	Drawn Box	4-1/2"	5-1/2"	50
G127	Drawn Box	2-1/2", 2-3/4"	3-1/2", 2-3/4"	50
G126	Drawn Box	4-3/4"	3-1/2", 2-3/4"	50






**G125****G127****G126**

4" Octagon (40) Boxes Welded 1-1/2" Deep

15.5 Cu. In.

With Non-Metallic (NM)
Sheathed Cable Clamps

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G145	-	2-1/2", 4-Loom	1-1/2"	25
G150	Ears	2-1/2", 4-Loom	1-1/2"	25
G164	FB, 1/2"	1-1/2", 4-Loom	1-1/2"	25
G160	LB, 1/2"	2-1/2", 4-Loom	1-1/2"	25
G145-SG	Swing Bracket-Old Work	4-Loom	1-1/2"	25
G326	BHA, 14-12" to 22-1/2"	2-1/2", 4-Loom	-	25


**G145****G150****G160****G164****G145-SG****G326**

4" Octagon (4O) Boxes Welded 1-1/2" Deep


15.5 Cu. In.

With Metal Clad (BX/MC)
Cable Clamps


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G153	-	2-1/2", 4-Loom	1-1/2"	25
G150-MC	Ears	2-1/2", 4-Loom	1-1/2"	25
G155	FB, 1/2"	1-1/2", 4-Loom	1-1/2"	50
G157	LB, 1/2"	2-1/2", 4-Loom	1-1/2"	25
G325	BHA, 14-12" to 22-1/2"	2-1/2", 4-Loom	-	25




G153



G150-MC



G157



G155



G325

4" Octagon (4O) Deep Boxes Welded 2-1/8" Deep

21.5 Cu. In.

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G165	-	2-1/2", 2-MKO	3-1/2", 2-3/4"	25




G165

**4" Octagon (4O) Deep
Boxes
Welded
2-1/8" Deep**

21.5 Cu. In.

With Metal Clad (BX/MC)
Cable Clamps

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G165-MC-FB	FB, 1/2"	1-MKO, 4-Loom	1-1/2"	25




G165-MC-FB

**4" Square (4S) Shallow
Box
Drawn
1-1/4" Deep**

18.0 Cu. In.

With Raised Grounds Emboss
& 10-32 Ground Screw

Cat. No.	Knockouts		Std. Pkg.
	Sides	Bottom	
G185	10-1/2"	4-1/2"	50




G185

**4" Square (4S) Boxes
Drawn
1-1/2" Deep**

21.0 Cu. In.

With Raised Ground Emboss
& 10-32 Ground Screw


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G190	-	12-1/2"	4-1/2"	50
G192	-	8-1/2", 4-3/4"	2-1/2", 2-3/4"	50
G191	-	8-3/4"	2-1/2", 2-3/4"	50
G192-FB	FB, Flush	6-1/2", 3-3/4"	2-1/2", 2-3/4"	25




G190



G192



G191



G192-FB


**4" Square (4S) Boxes
Welded
1-1/2" Deep**

21.0 Cu. In.


With Metal Clad (MX/MC)
Cable Clamps

Raised Ground Emboss


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G213	-	4-1/2", 2-MKO, 4-Loom	1-1/2"	50
G224	B, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G218	FB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G219	WB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25




G219



G213



G224




G218

**4" Square (4S) Boxes
Welded
1-1/2" Deep**


21.0 Cu. In.

With Non-Metallic (NM)
Sheathed Cable Clamps


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G225	B, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G223	FB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G220	WB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25



G225



G223














G220

4" Square (4S) Boxes & Extension Rings Welded 1-1/2" Deep

21.0 Cu. In.

Raised Ground Emboss
(Except for Bracketed
Boxes and Extension
Boxes)

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G190	-	12-1/2"	4-1/2"	50
G196-50	FB, Flush	9-1/2"	5-1/2"	25
G192	-	8-1/2", 4-3/4"	2-1/2", 2-3/4"	50
G192-FB	FB, Flush	6-1/2", 3-3/4"	3-1/2", 2-3/4"	25
G181	-	8-3/4"	2-1/2", 2-MKO	50
G199	FB, Flush	6-3/4"	1-1/2", 4-3/4"	25
G189	-	8-1/2", 4-MKO	2-1/2", 2-MKO	50
G196	FB, Flush	6-1/2", 3-MKO	3-1/2", 2-MKO	25
G193	B, Flush	6-1/2", 3-MKO	3-1/2", 2-MKO	25
G197	WB, Flush	6-1/2", 3-MKO	3-1/2", 2-MKO	25
G201	-	12-1/2"	-	50
G203	-	8-1/2", 4-3/4"	-	50
G203-MKO	-	8-1/2", 4-MKO	-	50
G187	Extension Ring to Handy Box	8-1/2", 4-MKO	-	50

**G190****G196-50****G192****G192-FB****G181****G199****G189****G196****G193****G197****G201****G203****G203-MKO****G187**


**4" Square (4S)
Deep Boxes
Welded
2-1/8" Deep**

30.3 Cu. In.


With Metal Clad (MX/MC)
Cable Clamps

Raised Ground Emboss


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G248	-	4-1/2", 2-MKO, 4-Loom	1-1/2"	25
G248-B	B, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G241	FB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G248-WB	WB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25




G248-WB



G241



G248




G248-B

**4" Square (4S)
Deep Boxes
Welded
2-1/8" Deep**


30.3 Cu. In.

With Non-Metallic (NM)
Sheathed Cable Clamps


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G240-B	B, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G240	FB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25
G240-WB	WB, Flush	2-1/2", 1-MKO, 4-Loom	1-1/2"	25



G240-B



G240




G240-WB

**4" Square (4S)
Deep Boxes
Welded
2-1/8" Deep**

30.3 Cu. In.

Raised Ground Emboss
(Except for Bracketed
Boxes)


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G230	-	12-1/2"	4-1/2"	25
G232	-	8-1/2", 4-3/4"	2-1/2", 2-3/4"	25
G237	FB, Flush	6-1/2", 3-3/4"	3-1/2", 2-3/4"	25
G231	-	8-3/4"	2-1/2", 2-MKO	25
G236	FB, Flush	6-3/4"	1-1/2", 4-3/4"	25
G233	-	8-1"	2-1/2", 2-3/4"	25
G232	-	6-1/2", 6-MKO	2-1/2", 2-MKO	25
G237	FB, Flush	4-1/2", 5-MKO	3-1/2", 2—MKO	25
G235	WB, Flush	4-1/2", 5-MKO	3-1/2", 2-MKO	25




G230




G232




G237




G231




G236



G233




G235



G237



**4" Square (4S) Boxes
Low-Voltage Partitions**

Cat. No.	Description	For Use With 2-Gang Rings:	Std. Pkg.
G706	For Use With 1-1/2" Deep Boxes	Flat, 1/4", 1/2", 3/4", 1"	50
G707	For Use With 2-1/8" Deep Boxes	Flat, 1/4", 1/2", 3/4", 1"	50
G709	For Use With 2-1/8" Deep Boxes	5/8", 1-1/4", 1-1/2", 1-3/4", 2"	50

**G706****G707****G709**
**4-11/16" Square (5S)
Super Shallow Box &
Extension Ring
Welded
1-1/2" Deep**



Cat. No.	Knockouts		Std. Pkg.
	Sides	Bottom	
G245	8-1/2", 4-MKO	2-1/2", 2-MKO	25
G250	8-1/2", 4-MKO	2-1/2", 2-3/4"	25

29.5 Cu. In.

With Raised Grounds Emboss
(Except for Extension Ring)**G245****G250**
**4-11/16" Square (5S)
Boxes
Welded
2-1/8" Deep**

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G252	-	6-MKO, 4-Loom	3-1/2", 2-3/4"	25
G252-FB	FB, Flush	3-MKO, 4-Loom	3-1/2", 2-3/4"	25

42.0 Cu. In.


**G252-FB****G252**

**4-11/16" Square
(5S) Boxes
Welded
2-1/8" Deep**


42.0 Cu. In.

With Raised Ground
Emboss (Except for
Bracketed Boxes and
Extension Rings)


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G245	-	12-1/2"	4-1/2"	25
G257	-	8-1/2", 4-3/4"	2-1/2", 2-3/4"	25
G265	-	4-3/4", 4-1"	2-1/2", 2-3/4"	25
G258	-	8-1"	2-1/2", 2-3/4"	25
G259	-	6-1-1/4"	2-1/2", 2-3/4"	25
G257	-	2-1/2", 10-MKO	2-1/2", 2-MKO	25
G254	FB, Flush	2-1/2", 7-MKO	3-1/2", 2-MKO	25
G262	-	8-1/2", 4-3/4"	-	25




G245




G257




G265




G258



G259



G262




G254





**Multigang
Switch Boxes
Welded
2-1/2" Deep**

With Device Ears

Cat. No.	No. of Gangs	Bracket & Setback	Knockouts		Dimension W x H	Cu. inch	Std. Pkg.
			Sides	Bottom			
G686	3	FB, 9/16"	8-CKO	3-CKO	5-1/2"x3-3/4"	47.9	20
G687	4	FB, 9/16"	10-CKO	4-CKO	7-3/8"x3-3/4"	63.6	20
G694-FB	5	FB, 9/16"	12-CKO	5-CKO	9-1/2"x3-3/4"	79.6	20


**G686****G687****G694-FB**
**Masonry Boxes
With Concentric
Knockouts (CKO)
2-1/2" Deep**

Cat. No.	No. of Gangs	Knockouts			Dimension W x H	Cu. inch	Std. Pkg.
		Ends	Bottom	Sides			
G688	1, Gangable	2	1	4	1-7/8"x3-3/4"	16.1	20
G690	1	2	1	4	1-7/8"x3-3/4"	16.1	25
G691	2	4	2	4	3-3/4"x3-3/4"	31.6	10
G692	3	6	3	4	5-1/2"x3-3/4"	47.9	25
G693	4	8	4	4	7-3/8"x3-3/4"	63.6	20
G694	5	10	5	4	9-1/8"x3-3/4"	79.6	20

**G688****G690****G691****G692**

**Masonry Boxes
With Concentric
Knockouts (CKO)
3-1/2" Deep**


Cat. No.	No. of Gangs	Knockouts			Dimension W x H	Cu. inch	Std. Pkg.
		Ends	Bottom	Sides			
G689	1, Gangable	4	2	4	1-7/8"x3-3/4"	23.5	20
G695	1	4	2	4	1-7/8"x3-3/4"	23.5	25
G696	2	8	4	4	3-3/4"x3-3/4"	46.9	10
G697	3	12	3	4	5-1/2"x3-3/4"	69.3	10
G698	4	16	4	4	7-3/8"x3-3/4"	32.1	10
G699	5	20	5	4	9-1/8"x3-3/4"	116.1	10
G965	6	24	6	4	11"x3-3/4"	139.0	10



G689




G695



G696



G697




G965

**Multigang Welded
Switch Boxes
1-13/16" Deep**

**& Low Voltage
Partition**


Cat. No.	No. of Gangs	Knockouts		Dimension W x H	Cu. inch	Std. Pkg.
		Sides	Bottom			
G952	3	8-1/2", 6-MKO	3-1/2", 2-3/4"	8-5/8"x4-9/16"	65.0	20
G953	4	8-1/2", 8-MKO	6-1/2", 4-3/4"	10-7/16"x4-9/16"	80.0	20
G954	5	10-1/2", 8-MKO	6-1/2", 4-3/4"	12-1/4"x4-9/16"	94.8	20
G955	6	10-1/2", 10-MKO	6-1/2", 4-3/4"	14-1/16"x4-9/16"	111.1	20
G957	8	12-1/2", 12-MKO	9-1/2", 6-3/4"	17-11/16"x4-9/16"	124.1	20




G952

4" Octagonal Concrete Rings

Cat. No.	Depth	Knockouts		Cu. Inch	Std. Pkg.
		Sides 1.3.5.7	Sides 2.4.6.8		
G270	2"	1-1/2"	1-3/4"	24.4	10
G271	2-1/2"	1-1/2"	1-3/4"	30.5	25
G272	3"	1-1/2"	1-3/4"	37.0	25
G273	3-1/2"	2-1/2"	2-3/4"	43.0	20
G279	4"	2-1/2"	2-3/4"	49.2	20
G275	5"	2-1/2"	2-3/4"	61.7	10
G276	6"	2-1/2"	2-3/4"	73.5	10



G270
G271
G272




G273
G279
G275
G276


Shallow Handy Boxes and Extension Ring Welded 1-1/2" Deep

2" W x 4" H
11.5 Cu. In.

Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G650	-	8-1/2"	3-1/2"	50
G653	-	8-1/2"	-	50



G650




G653


Handy Box Drawn 1-7/8" Deep

2" W x 4" H
13.0 Cu. In.
With Raised Ground Emboss

Cat. No.	Knockouts		Std. Pkg.
	Sides	Bottom	
G660	8-1/2"	2-1/2"	50
G663	6-3/4"	2-1/2"	50



G660




G663


Handy Boxes and Extension Rings Welded 1-7/8" Deep

2" W x 4" H
13.0 Cu. In.


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G660	-	8-1/2"	3-1/2"	50
G660-MKO	-	4-1/2", 4-MKO	2-1/2", 1-MKO	50
G665	AB, 9/16"	8-1/2"	-	50
G665-MKO	FB, 9/16"	4-1/2", 4-MKO	-	50




G660



G660-MKO



G665




G665-MKO


Deep Handy Boxes Welded 2-1/8" Deep

2" W x 4" H
16.5 Cu. In.


Cat. No.	Bracket & Setback	Knockouts		Std. Pkg.
		Sides	Bottom	
G670	-	8-1/2"	3-1/2"	50
G674	-	4-1/2", 4-MKO	2-1/2", 1-MKO	50
G671	AB, 9/16"	2-1/2", 3-MKO	2-1/2", 1-MKO	50



G670



G674




G671


Extra Shallow Gangable Switch Boxes 1-1/2" Deep

2" W x 3" H
7.5 Cu. In.


Cat. No.	Description	Knockouts			Std. Pkg.
		Sides	Ends	Bottom	
G400	Ears Only	-	2-1/2"	2-1/2"	50
G410	With NM Cable Clamps	-	4-Loom	1-1/2"	50
G400-MC	With BX/MC Cable Clamps	-	4-Loom	1-1/2"	50



G400



G410




G400-MC


Shallow Gangable Switch Boxes 2" Deep

2" W x 3" H
10.0 Cu. In.


Cat. No.	Description	Knockouts			Std. Pkg.
		Sides	Ends	Bottom	
G420	Ears Only	4-1/2"	2-1/2"	2-1/2"	50
G445	With NM Cable Clamps	4-1/2"	4-Loom	1-1/2"	50
G440	With BX/MC Cable Clamps	4-1/2"	4-Loom	1-1/2"	50



G420



G445




G440

2-1/2" Deep Gangable Switch Boxes

12.5 Cu. In.
2" W x 3" H


Cat. No.	Description	Knockouts			Std. Pkg.
		Sides	Ends	Bottom	
G501	No Ears. With Leveling Bumps	2-1/2"	2-1/2"	2-1/2"	50
G500	Ears Only	4-1/2"	2-1/2"	2-1/2"	50
G503	Ears Only, MKO	2-1/2"	2-MKO	1-1/2"	50
G502	With B Bracket (9/16" Setback)	2-1/2"	2-1/2"	2-1/2"	25
G519	With NM Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50
G529	With NM Cable Clamps & B Bracket	2-1/2"	2-1/2", 4-Loom	1-1/2"	50
G531	With NM Cable Clamps & FB Bracket	2-1/2"	2-1/2", 4-Loom	1-1/2"	50
G517	With NM Cable Clamps, For Old Work, With Locking Grips.	-	2-1/2", 4-Loom	1-1/2"	50
G518	With BX/MC Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50
G522	With BX/MC Cable Clamps & B Bracket	2-1/2"	2-1/2", 4-Loom	1-1/2"	50
G524	With BX/MC Cable Clamps & FB Bracket	2-1/2"	2-1/2", 4-Loom	1-1/2"	50
G523	With BX/MC Cable Clamps For Old Work, With Locking Grips	-	2-1/2", 4-Loom	1-1/2"	50
G512	Old Work Tigergrip, NM Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50
G526	Old Work Tigergrip, BX/MC Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50




G500




G501




G502




G503




G512




G517




G518




G519




G522




G523




G524



G526



G529




G531

**2-3/4" Deep
Gangable
Switch Boxes
(Intermediate Depth)**


2" W x 3" H - 4" W x 3" H
14.0 Cu. In. - 28.0 Cu. In.

With Pre-Assembled 10-32
Grounds Screw & 7" Long
#12AWG Solid Pigtail


Cat. No.	Description	Knockouts			Std. Pkg.
		Sides	Ends	Bottom	
G565	Ears Only	4-1/2"	2-MKO	2-1/2"	50
G562	With FB Bracket (9/16" Setback)	2-1/2"	2-MKO	2-1/2"	25
G567	With NM Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50
G564	NM Clamps & FB Bracket (9/16" Setback)	2-1/2"	2-1/2", 4-Loom	1-1/2"	25
G570	With BX/MC Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	50
G574	BX/MC Clamps & FB Bracket (9/16" Setback)	2-1/2"	4-1/2", 4-Loom	1-1/2"	25
GSGM	Gangable Old Work BX/MC Switch Box	4-1/2"	2-1/2", 4-Loom	1-1/2"	50




G565




G562




G567




G564



G570



G574




GSGM

3-1/2" Deep Gangable Switch Boxes


2" W x 3" H
18.0 Cu. In.

With Pre-Assembled 10-
32 Grounds Screw & 7-
1/2" Long #12AWG
Solid Pigtail


Cat. No.	Description	Knockouts			Std. Pkg.
		Sides	Ends	Bottom	
G591	Ears Only	4-1/2"	2-1/2", 2-MKO	2-1/2"	25
G601	With NM Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	25
G603	With NM Cable Clamps & B Bracket	4-1/2"	2-1/2", 4-Loom	1-1/2"	25
G605	With NM Cable Clamps & FB Bracket	4-1/2"	2-1/2", 4-Loom	1-1/2"	25
G600	With BX/MC Cable Clamps	4-1/2"	2-1/2", 4-Loom	1-1/2"	25
G600-B	With BX/MC Cable Clamps & B Bracket	4-1/2"	2-1/2", 4-Loom	1-1/2"	25
G604	With BX/MC Cable Clamps & FB Bracket	4-1/2"	2-1/2", 4-Loom	1-1/2"	25



G591




G601




G603




G605



G600





G604






G600-B

**Blank Junction Box
Covers**

Cat. No.	Size	Type	Std. Pkg.
4B	4S	Blank Cover	50
5B	5S	Blank Cover	25
4BK	4S	Blank with 1/2" Knock Out	50
5BK	5S	Blank with 1/2" Knock Out	25
G4RB	4R	Blank Cover (Round)	50



**Junction Box
Raised Covers 4S**

Cat. No.	Size	Type	Std. Pkg.
G4RB12	4S	Raised 1/2" open ears	50
G4RB58	4S	Raised 5/8" open ears	50
G4R14	4S	Single Raised Device Ring 1/4"	50
G4R12	4S	Single Raised Device Ring 1/2"	50
G4R58	4S	Single Raised Device Ring 5/8"	50
G4R34	4S	Single Raised Device Ring 3/4"	50
G4R1	4S	Single Raised Device Ring 1"	25
G4R114	4S	Single Raised Device Ring 1 1/4"	25
G4R112	4S	Single Raised Device Ring 1 1/2"	50
G4R200	4S	Single Raised Device Ring 2"	25
G24R14	4S	Double Raised Device Ring 1/4"	50
G24R12	4S	Double Raised Device Ring 1/2"	50
G24R58	4S	Double Raised Device Ring 5/8"	25
G24R34	4S	Double Raised Device Ring 3/4"	25
G24R1	4S	Double Raised Device Ring 1"	50
G24R114	4S	Double Raised Device Ring 1 1/4"	50
G24R112	4S	Double Raised Device Ring 1 1/2"	50
G24R200	4S	Double Raised Device Ring 2"	25








**Junction Box
Raised Covers 5"**

Cat. No.	Size	Type	Std. Pkg.
G5R12	5S	Single Raised Device Ring 1/2"	50
G5R58	5S	Single Raised Device Ring 5/8"	50
G5R34	5S	Single Raised Device Ring 3/4"	50
G5R1	5S	Single Raised Device Ring 1"	50
G25R12	5S	Double Raised Device Ring 1/2"	50
G25R58	5S	Double Raised Device Ring 5/8"	50
G25R34	5S	Double Raised Device Ring 3/4"	50
G25R1	5S	Double Raised Device Ring 1"	50



**Finished Box
Covers 4"**

Single Gang

Cat. No.	Size	Type	Std. Pkg.
4T	4S	Toggle Switch	50
4D	4S	Duplex Receptacle	50
4SR	4S	Single Receptacle	50
4RD	4S	Power Outlet	50
4R20	4S	Power Outlet, 20A	50
4R30	4S	Power Outlet, 30A	50
4R30-50	4S	Power Outlet, 30-50A	50
4GFI	4S	GFCI or Decorative Switch	50









Finished Covers 4"	Box	Cat. No.	Size	Type	Std. Pkg.
Double Gang		4TT	4S	Double Toggle Switch	50
		4TD	4S	Toggle + Duplex Receptacle	50
		4TSR	4S	Toggle + Single Receptacle	50
		4TGFI	4S	Toggle + GFCI or Decorative Switch	50
		42GFI	4S	Double + GFCI or Decorative Switch	50
		4SRSR	4S	Double Single Receptacle	50
		4DSR	4S	Duplex + Single Receptacle	50
		4DGFI	4S	Duplex + GFCI or Decorative Switch	50
		4DD	4S	Double Duplex Receptacle	50
		4GAS		Gas Burner - Red	50
		4OIL		Oil Burner - Red	50



Finished Covers 5"	Box	Cat. No.	Size	Type	Std. Pkg.
Single Gang		5T	5S	Toggle Switch	25
		5D	5S	Duplex Receptacle	25
		5SR	5S	Single Receptacle	25
		5R30-50	5S	Power Outlet, 30-50A	25
		5GFI	5S	GFCI or Decorative Switch	25







Finished Covers 5"	Box	Cat. No.	Size	Type	Std. Pkg.
Double Gang		5TT	5S	Double Toggle Switch	25
		5TD	5S	Toggle + Duplex Receptacle	25
		5TSR	5S	Toggle + Single Receptacle	25
		5TGFI	5S	Toggle + GFCI or Decorative Switch	25
		52GFI	5S	Double GFCI or Decorative Switch	50
		5DGFI	5S	Duplex + GFCI or Decorative Switch	25
		5DD	5S	Double Duplex Receptacle	25



Handy Box Covers 5"

Cat. No.	Type	Std. Pkg.
HB-B	Blank	100
HB-KO	Blank with 1/2" Knock Out	100
HB-D	Duplex Receptacle	100
HB-GFI	GFCI / Decorative Switch	100
HB-SR	Single Receptacle	100
HB-30	Power Outlet 20-30A	100
HB-T	Toggle Switch	100



1-Gang Black and Device Covers

2-3/4" W x 4-1/2" H
Die-Cast Zinc
Gasket Included

Cat. No.	Description	Color (Cat. No - Color Code)			Std. Pkg.
		Gray	Bronze	White	
G1C-TS	Toggle Switch	G1C-TS	G1C-TS-BR	G1C-TS-W	50
G1C-DH	Duplex/Combo. Device-Horizontal	G1C-DH	G1C-DH-BR	G1C-DH-W	50
G1C-DV	Duplex/Combo. Device-Vertical	G1C-DV	G1C-DV-BR	G1C-DV-W	50
G1C-GH	GFCI-Horizontal	G1C-GH	G1C-GH-BR	G1C-GH-W	50
G1C-GV	GFCI-Vertical	G1C-GV	G1C-GV-BR	G1C-GV-W	50
G1C-SV	S/R or Switch Vertical - 1.406" Diameter	G1C-SV	G1C-SV-BR	G1C-SV-W	50
G1C-PO20	20A Power Outlet - 1.594" Diameter	G1C-PO20			50
G1C-PO30	30A Power Outlet - 1.750" Diameter	G1C-PO30			50



G1C-TS



G1C-DH




G1C-DV



G1C-GH



G1C-GV



G1C-SV



G1C-PO20




G1C-PO30


1-Gang Black and Device Covers

2-3/4" W x 4-1/2" H
Die-Cast Zinc
Gasket Included


Cat. No.	Description	Color (Cat. No - Color Code)			Std. Pkg.
		Gray	Bronze	White	
G2C-2D	Two Duplex	G2C-2D			50
G2C-2G	Two GFCI	G2C-2G			50
G2C-2S	Two Switches or S/R-1.406" Diameter	G2C-2S			50
G2C-GD	One GFCI, One Duplex	G2C-GD			50
G2C-SD	One Duplex, One S/R-1.406" Diameter	G2C-SD			50
G2C-GS	One GFCI, One Switch or S/R-1.406" Diameter	G2C-GS			50
G2C-DH	Oversized One Duplex –Horizontal Device Mount Unit has Knock Outs for Box Mounting	G2C-DH			50
G2C-PO50	One 40-50Amp Receptacle-2.125" Diameter	G2C-PO60			50
G2C-PO60	One 30, 50, 60 Amp 3&4 Wire With Built-In Padlock Hasp-2.468" Diameter	G2C-PO60			50



G2C-2D




G2C-2G



G2C-2S




G2C-GD



G2C-SD



G2C-GS



G2C-DH



**G2C-PO50
G2C-PO60**

1-Gang Boxes 2" Deep

2-3/4" W x 4-1/2" H

Features:

- Die Cast Cooper-Free Aluminum
- Premium Powder Coat Finish
- Two Closure Plugs Included
- Ground Screw Installed
- Lugs Included
- Individually Shrink-wrapped with Barcode
- Retail Shelf Packaging

Cat. No.	Outlets Holes	Hole Size	Color (Cat. No.-Color Code)			Cu. Inch.	Std. Pkg.
			Gray	Bronze	White		
GFSB50-3	3	1/2"	GFSB50-3	GFSB50-3-BR	GFSB50-3-W	18.3	50
GFSB50-4	4	1/2"	GFSB50-4	GFSB50-4-BR	GFSB50-4-W	18.3	50
GFSB50-5	5	1/2"	GFSB50-5	GFSB50-5-BR	GFSB50-5-W	18.3	50
GFSB75-3	3	3/4"	GFSB75-3	GFSB75-3-BR	GFSB75-3-W	18.3	50
GFSB75-4	4	3/4"	GFSB75-4	GFSB75-4-BR	GFSB75-4-W	18.3	50
GFSB75-5	5	3/4"	GFSB75-5	GFSB75-5-BR	GFSB75-5-W	18.3	50



GFSB50-3



GFSB50-4




GFSB50-5



GFSB75-3



GFSB75-4



GFSB75-5

1-Gang Deep Boxes 2-5/8" Deep

2-3/4" W x 4-1/2" H

Gray Finish

Cat. No.	Outlets Holes	Hole Size	Cu. Inch.	Std. Pkg.
GDB50-3	3	1/2"	28.3	40
GDB75-3	3	3/4"	28.3	40
GDB100-3	3	1"	28.3	40



GDB50-3



GDB75-3



GDB100-3


2-Gang Boxes 2" Deep

4-9/16" W x 4-1/2" H


Features:

- Die Cast Cooper-Free Aluminum
- Premium Powder Coat Finish
- Two Closure Plugs Included
- Ground Screw Installed
- Lugs Included
- Individually Shrink-wrapped with Barcode
- Retail Shelf Packaging


Cat. No.	Outlets Holes	Hole Size	Color (Cat. No.-Color Code)			Cu. Inch.	Std. Pkg.
			Gray	Bronze	White		
GTGB50-3	3	1/2"	GTGB50-3	GTGB50-3-BR	GTGB50-3-W	30.5	40
GTGB50-4	4	1/2"	GTGB50-4			30.5	40
GTGB50-5	5	1/2"	GTGB50-5	GTGB50-5-BR	GTGB50-5-W	30.5	40
GTGB50-7	7	1/2"	GTGB50-7			30.5	40
GTGB75-3	3	3/4"	GTGB75-3	GTGB75-3-BR	GTGB75-3-W	30.5	40
GTGB75-4	4	3/4"	GTGB75-4			30.5	40
GTGB75-5	5	3/4"	GTGB75-5	GTGB75-5-BR	GTGB75-5-W	30.5	40
GTGB75-7	7	3/4"	GTGB75-7			30.5	40




GTGB50-3
GTGB75-3



GTGB50-4
GTGB75-4



GTGB50-5
GTGB75-5




GTGB50-7
GTGB75-7

2-Gang Deep Boxes 2-5/8" Deep

4-9/16" W x 4-1/2" H

Gray Finish

Cat. No.	Outlets Holes	Hole Size	Cu. Inch.	Std. Pkg.
GDBT50-5	5	1/2"	40.3	20
GDBT75-5	5	3/4"	40.3	20
GDBT100-5	5	1"	40.3	20




GTGB50-5
GTGB75-5
GDBT100-5

4" Round Box

1-1/2" Deep

Die-Cast Aluminum

Cat. No.	Outlets Holes	Hole Size	Color (Cat. No.-Color Code)			Cu. Inch.	Std. Pkg.
			Gray	Bronze	White		
GBRD-4	5	1/2"	GBRD-4	GBRD-4-BR	GBRD-4-W	15.8	40



GBRD-4

CAT. NO.	PAGE	CAT. NO.	PAGE	CAT. NO.	PAGE	CAT. NO.	PAGE
42GFI	24	G127	5	G203	9	G25R12	23
4B	22	G128	4	G203-MKO	9	G25R34	23
4BK	22	G130	4	G213	8	G25R58	23
4D	23	G145	5	G218	8	G262	13
4DD	24	G145-SG	5	G219	8	G265	13
4DGFI	24	G150	5	G220	8	G270	16
4DSR	24	G150-MC	6	G223	8	G271	16
4GAS	24	G153	6	G224	8	G272	16
4GFI	23	G155	6	G225	8	G273	16
4OIL	24	G157	6	G230	11	G275	16
4R20	23	G158	4	G231	11	G276	16
4R30	23	G160	5	G232	11	G279	16
4R30-50	23	G161	4	G233	11	G287	3
4RD	23	G164	5	G235	11	G290	3
4SR	23	G165	6	G236	11	G292	3
4SRSR	24	G165-MC-FB	7	G237	11	G293	3
4T	23	G181	9	G240	10	G293-NM	3
4TD	24	G185	7	G240-B	10	G295	3
4TGFI	24	G187	9	G240-WB	10	G296	3
4TSR	24	G189	9	G241	10	G2C-2D	27
4TT	24	G190	7	G245	12	G2C-2G	27
52GFI	25	G190	9	G245	13	G2C-2S	27
5B	22	G191	7	G248	10	G2C-DH	27
5BK	22	G192	7	G248-B	10	G2C-GD	27
5D	24	G192	9	G248-WB	10	G2C-GS	27
5DD	25	G192-FB	7	G24R1	22	G2C-PO50	27
5DGFI	25	G192-FB	9	G24R112	22	G2C-PO60	27
5GFI	24	G193	9	G24R114	22	G2C-SD	27
5R30-50	24	G196	9	G24R12	22	G324	4
5SR	24	G196-50	9	G24R14	22	G325	6
5T	24	G197	9	G24R200	22	G326	5
5TD	25	G199	9	G24R34	22	G400	18
5TGFI	25	G1C-DH	26	G24R58	22	G400-MC	18
5TSR	25	G1C-DV	26	G250	12	G410	18
5TT	25	G1C-GH	26	G252	12	G420	18
G110	4	G1C-GV	26	G252-FB	12	G440	18
G111	4	G1C-PO20	26	G254	13	G445	18
G125	4	G1C-PO30	26	G257	13	G4R1	22
G125	5	G1C-SV	26	G258	13	G4R112	22
G126	5	G1C-TS	26	G259	13	G4R114	22
G127	4	G201	9	G25R1	23	G4R12	22



CAT. NO.	PAGE	CAT. NO.	PAGE	CAT. NO.	PAGE
G4R14	22	G660-MKO	17	GFSB50-4	28
G4R200	22	G663	17	GFSB50-5	28
G4R34	22	G665	17	GFSB75-3	28
G4R58	22	G665-MKO	17	GFSB75-4	28
G4RB	22	G670	17	GFSB75-5	28
G4RB12	22	G671	17	GSGM	20
G4RB58	22	G674	17	GTGB50-3	29
G500	19	G686	14	GTGB50-4	29
G501	19	G687	14	GTGB50-5	29
G502	19	G688	14	GTGB50-7	29
G503	19	G689	15	GTGB75-3	29
G512	19	G690	14	GTGB75-4	29
G517	19	G691	14	GTGB75-5	29
G518	19	G692	14	GTGB75-7	29
G519	19	G693	14	HB-30	25
G522	19	G694	14	HB-B	25
G523	19	G694-FB	14	HB-D	25
G524	19	G695	15	HB-GFI	25
G526	19	G696	15	HB-KO	25
G529	19	G697	15	HB-SR	25
G531	19	G698	15	HB-T	25
G562	20	G699	15		
G564	20	G706	12		
G565	20	G707	12		
G567	20	G709	12		
G570	20	G925	3		
G574	20	G935	3		
G591	21	G952	15		
G5R1	23	G953	15		
G5R12	23	G954	15		
G5R34	23	G955	15		
G5R58	23	G957	15		
G600	21	G965	15		
G600-B	21	GBRD-4	29		
G601	21	GDB100-3	28		
G603	21	GDB50-3	28		
G604	21	GDB75-3	28		
G605	21	GDBT100-5	29		
G650	16	GDBT50-5	29		
G653	16	GDBT75-5	29		
G660	17	GFSB50-3	28		





Represented by Warshaw Inc.



63-15 Traffic Ave, Ridgewood, NY-11385

Ph. 718 257 2111, Fax. 718 257 2626



WWW.WARSHAWINC.COM